

KORSØR

Dansk Normaltid (UT+1 time)

2010

Januar				Februar				Marts			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0041 0.1 0650 -0.1 F 1259 0.1 1908 -0.1	16	0142 0.1 0748 -0.1 L 1355 0.1 2001 -0.1	1	0148 0.1 0759 -0.1 M 1411 0.1 2023 -0.1	16	0200 0.1 0806 -0.1 Ti 1412 0.1 2020 -0.1	1	0056 0.1 0706 -0.1 M 1315 0.1 1926 -0.1	16	0115 0.1 0719 -0.1 Ti 1323 0.1 1927 -0.1
2	0118 0.1 0727 -0.1 L 1339 0.1 1949 -0.1	17	0207 0.1 0813 -0.1 S 1420 0.1 2027 -0.1	2	0236 0.1 0848 -0.1 Ti 1503 0.1 2117 -0.1	17	0228 0.1 0837 -0.1 O 1448 0.1 2059 -0.1	2	0136 0.1 0747 -0.1 Ti 1357 0.1 2009 -0.1	17	0131 0.1 0736 -0.1 O 1342 0.1 1948 -0.1
3	0200 0.1 0813 -0.1 S 1425 0.1 2039 -0.1	18	0233 0.1 0841 -0.1 M 1449 0.1 2058 -0.1	3	0331 0.1 0947 -0.1 O 1603 0.1 2220 -0.1	18	0312 0.1 0924 -0.1 To 1539 0.1 2154 -0.1	3	0221 0.1 0833 -0.1 O 1445 0.1 2058 -0.1	18	0156 0.1 0804 -0.1 To 1413 0.1 2024 -0.1
4	0252 0.1 0906 -0.1 M 1521 0.1 2137 -0.1	19	0309 0.1 0919 -0.1 Ti 1531 0.1 2145 -0.1	4	0436 0.1 1054 -0.1 To 1712 0.1 2330 -0.1	19	0411 0.1 1027 -0.1 F 1645 0.1 2303 -0.1	4	0312 0.1 0926 -0.1 To 1541 0.1 2157 -0.1	19	0235 0.1 0848 -0.1 F 1500 0.1 2115 -0.1
5	0353 0.1 1009 -0.1 Ti 1627 0.1 2245 -0.1	20	0358 0.1 1013 -0.1 O 1629 0.1 2246 -0.1	5	0549 0.1 1208 -0.1 F 1827 0.1 D	20	0522 0.1 1141 -0.1 L 1800 0.1	5	0412 0.1 1029 -0.1 F 1645 0.1 2303 -0.1	20	0330 0.1 0945 -0.1 L 1602 0.1 2219 -0.1
6	0503 0.1 1121 -0.1 O 1739 0.1 2358 -0.1	21	0503 0.1 1121 -0.1 To 1739 0.1 2358 -0.1	6	0045 -0.1 0703 0.1 L 1321 -0.1 1939 0.1	21	0019 -0.1 0637 0.1 S 1256 -0.1 1914 0.1	6	0521 0.1 1139 -0.1 L 1757 0.1	21	0437 0.1 1056 -0.1 S 1715 0.1 2333 -0.1
7	0617 0.1 1236 -0.1 To 1854 0.1 D	22	0616 0.1 1235 -0.1 F 1853 0.1	7	0156 -0.1 0813 0.1 S 1430 -0.1 2045 0.1	22	0131 -0.1 0748 0.1 M 1404 -0.1 B 2020 0.1	7	0016 -0.1 0634 0.1 S 1253 -0.1 D 1911 0.1	22	0553 0.1 1212 -0.1 M 1830 0.1
8	0112 -0.1 0730 0.1 F 1348 -0.1 2005 0.1	23	0110 -0.1 0727 0.1 L 1344 -0.1 B 2000 0.1	8	0301 -0.1 0917 0.1 M 1532 -0.1 2146 0.1	23	0235 -0.1 0850 0.1 Ti 1504 -0.1 2118 0.1	8	0128 -0.1 0746 0.1 M 1403 -0.1 2019 0.1	23	0049 -0.1 0707 0.1 Ti 1325 -0.1 B 1942 0.1
9	0222 -0.1 0839 0.1 L 1454 -0.1 2110 0.2	24	0215 -0.1 0830 0.1 S 1445 -0.1 2058 0.1	9	0400 -0.1 1015 0.1 Ti 1628 -0.1 2241 0.1	24	0331 -0.1 0944 0.1 O 1557 -0.1 2209 0.1	9	0236 -0.1 0851 0.1 Ti 1506 -0.1 2121 0.1	24	0200 -0.1 0815 0.1 O 1431 -0.1 2047 0.1
10	0325 -0.2 0940 0.2 S 1554 -0.2 2209 0.2	25	0312 -0.1 0925 0.1 M 1537 -0.1 2150 0.1	10	0454 -0.1 1106 0.1 O 1718 -0.1 2330 0.1	25	0421 -0.1 1033 0.1 To 1644 -0.1 2255 0.1	10	0336 -0.1 0951 0.1 O 1604 -0.1 2218 0.1	25	0302 -0.1 0916 0.1 To 1530 -0.1 2144 0.1
11	0422 -0.2 1036 0.2 M 1649 -0.2 2302 0.2	26	0401 -0.1 1013 0.1 Ti 1624 -0.1 2235 0.1	11	0542 -0.1 1154 0.1 To 1804 -0.1	26	0506 -0.1 1117 0.1 F 1727 -0.1 2338 0.1	11	0431 -0.1 1043 0.1 To 1656 -0.1 2308 0.1	26	0357 -0.1 1010 0.1 F 1622 -0.1 2235 0.1
12	0515 -0.2 1127 0.2 Ti 1739 -0.1 2351 0.1	27	0445 -0.1 1056 0.1 O 1706 -0.1 2316 0.1	12	0015 0.1 0624 -0.1 F 1234 0.1 1843 -0.1	27	0548 -0.1 1157 0.1 L 1807 -0.1	12	0520 -0.1 1131 0.1 F 1742 -0.1 2352 0.1	27	0447 -0.1 1059 0.1 L 1710 -0.1 2321 0.1
13	0602 -0.1 1212 0.1 O 1824 -0.1	28	0525 -0.1 1135 0.1 To 1744 -0.1 2354 0.1	13	0052 0.1 0700 -0.1 L 1307 0.1 1915 -0.1	28	0017 0.1 0627 -0.1 S 1236 0.1 C 1846 -0.1	13	0603 -0.1 1212 0.1 L 1821 -0.1	28	0533 -0.1 1143 0.1 S 1754 -0.1
14	0033 0.1 0644 -0.1 To 1254 0.1 1903 -0.1	29	0603 -0.1 1212 0.1 F 1821 -0.1	14	0121 0.1 0727 -0.1 S 1332 0.1 A 1936 -0.1	14	0030 0.1 0637 -0.1 S 1245 0.1 1851 -0.1	14	0030 0.1 0637 -0.1 S 1245 0.1 1851 -0.1	29	0004 0.1 0615 -0.1 M 1225 0.1 1835 -0.1
15	0112 0.1 0720 -0.1 F 1327 0.1 A 1935 -0.1	30	0030 0.1 0639 -0.1 L 1248 0.1 C 1857 -0.1	15	0142 0.1 0745 -0.1 M 1350 0.1 1955 -0.1	15	0142 0.1 0745 -0.1 M 1350 0.1 1955 -0.1	15	0057 0.1 0703 -0.1 M 1307 0.1 A 1912 -0.1	30	0045 0.1 0655 -0.1 Ti 1305 0.1 C 1915 -0.1
		31	0106 0.1 0716 -0.1 S 1327 0.1 1937 -0.1							31	0125 0.1 0736 -0.1 O 1345 0.1 1957 -0.1

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time.
Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellene").

KORSØR

Dansk Normaltid (UT+1 time)

2010

April			Maj			Juni			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0207 0.1	16	0130 0.1	1	0237 0.1	16	0146 0.1	1	0350 0.1
	0818 -0.1		0738 -0.1		0848 -0.1		0757 -0.1		1004 -0.1
To	1430 0.1	F	1347 0.1	L	1500 0.1	S	1409 0.1	Ti	1618 0.1
	2042 -0.1		1957 -0.1		2112 -0.1		2021 -0.1		2233 -0.1
2	0254 0.1	17	0207 0.1	2	0325 0.1	17	0234 0.1	2	0449 0.1
	0906 -0.1		0819 -0.1		0939 -0.1		0848 -0.1		1106 -0.1
F	1520 0.1	L	1431 0.1	S	1552 0.1	M	1502 0.1	O	1722 0.1
	2134 -0.1		2045 -0.1		2207 -0.1		2117 -0.1		2339 -0.1
3	0348 0.1	18	0258 0.1	3	0422 0.1	18	0333 0.1	3	0557 0.1
	1003 -0.1		0913 -0.1		1038 -0.1		0949 -0.1		1215 -0.1
L	1619 0.1	S	1528 0.1	M	1654 0.1	Ti	1606 0.1	To	1833 0.1
	2236 -0.1		2145 -0.1		2311 -0.1		2224 -0.1		
4	0452 0.1	19	0401 0.1	4	0528 0.1	19	0442 0.1	4	0051 -0.1
	1109 -0.1		1019 -0.1		1146 -0.1		1100 -0.1		0708 0.1
S	1727 0.1	M	1637 0.1	Ti	1804 0.1	O	1720 0.1	F	1324 -0.1
	2345 -0.1		2256 -0.1				2339 -0.1	D	1942 0.1
5	0603 0.1	20	0515 0.1	5	0022 -0.1	20	0557 0.1	5	0157 -0.1
	1221 -0.1		1133 -0.1		0640 0.1		1217 -0.1		0813 0.1
M	1839 0.1	Ti	1753 0.1	O	1257 -0.1	To	1836 0.1	L	1428 -0.1
					1915 0.1	B			2042 0.1
6	0057 -0.1	21	0012 -0.1	6	0133 -0.1	21	0054 -0.1	6	0257 -0.1
	0715 0.1		0631 0.1		0749 0.1		0712 0.1		0911 0.1
Ti	1333 -0.1	O	1250 -0.1	To	1406 -0.1	F	1330 -0.1	S	1524 -0.1
D	1950 0.1	B	1908 0.1	D	2021 0.1		1948 0.1		2136 0.1
7	0206 -0.1	22	0126 -0.1	7	0236 -0.1	22	0205 -0.1	7	0348 -0.1
	0823 0.1		0743 0.1		0851 0.1		0821 0.1		1000 0.1
O	1439 -0.1	To	1400 -0.1	F	1506 -0.1	L	1438 -0.1	M	1612 -0.1
	2054 0.1		2017 0.1		2120 0.1		2054 0.1		2223 0.1
8	0309 -0.1	23	0233 -0.1	8	0333 -0.1	23	0309 -0.2	8	0433 -0.1
	0924 0.1		0848 0.1		0947 0.1		0924 0.2		1044 0.1
To	1537 -0.1	F	1503 -0.1	L	1600 -0.1	S	1539 -0.2	Ti	1654 -0.1
	2151 0.1		2118 0.1		2212 0.1		2153 0.2		2303 0.1
9	0404 -0.1	24	0333 -0.1	9	0424 -0.1	24	0406 -0.2	9	0512 -0.1
	1018 0.1		0947 0.2		1035 0.1		1020 0.2		1120 0.1
F	1630 -0.1	L	1600 -0.2	S	1646 -0.1	M	1633 -0.2	O	1728 -0.1
	2242 0.1		2214 0.2		2257 0.1		2246 0.2		2336 0.1
10	0454 -0.1	25	0427 -0.2	10	0507 -0.1	25	0459 -0.2	10	0543 -0.1
	1105 0.1		1039 0.2		1117 0.1		1112 0.2		1150 0.1
L	1716 -0.1	S	1652 -0.2	M	1726 -0.1	Ti	1724 -0.2	To	1757 -0.1
	2327 0.1		2304 0.2		2334 0.1		2336 0.2		
11	0536 -0.1	26	0516 -0.2	11	0542 -0.1	26	0547 -0.2	11	0003 0.1
	1146 0.1		1128 0.2		1151 0.1		1158 0.2		0609 -0.1
S	1755 -0.1	M	1739 -0.2	Ti	1757 -0.1	O	1809 -0.2	F	1215 0.1
			2351 0.2						1821 -0.1
12	0003 0.1	27	0602 -0.2	12	0004 0.1	27	0021 0.1	12	0027 0.1
	0612 -0.1		1212 0.1		0610 -0.1		0631 -0.1		0633 -0.1
M	1218 0.1	Ti	1823 -0.1	O	1215 0.1	To	1242 0.1	L	1240 0.1
	1825 -0.1				1821 -0.1	C	1852 -0.1	A	1847 -0.1
13	0031 0.1	28	0033 0.1	13	0026 0.1	28	0103 0.1	13	0054 0.1
	0637 -0.1		0644 -0.1		0630 -0.1		0712 -0.1		0702 -0.1
Ti	1242 0.1	O	1254 0.1	To	1236 0.1	F	1322 0.1	S	1311 0.1
	1846 -0.1	C	1904 -0.1		1840 -0.1		1932 -0.1		1920 -0.1
14	0050 0.1	29	0114 0.1	14	0045 0.1	29	0142 0.1	14	0130 0.1
	0654 -0.1		0724 -0.1		0651 -0.1		0751 -0.1		0739 -0.1
O	1258 0.1	To	1334 0.1	F	1257 0.1	L	1401 0.1	M	1351 0.1
A	1902 -0.1		1944 -0.1	A	1903 -0.1		2010 -0.1		2002 -0.1
15	0106 0.1	30	0154 0.1	15	0110 0.1	30	0220 0.1	15	0214 0.1
	0711 -0.1		0805 -0.1		0718 -0.1		0830 -0.1		0827 -0.1
To	1317 0.1	F	1415 0.1	L	1327 0.1	S	1440 0.1	Ti	1440 0.1
	1923 -0.1		2026 -0.1		1936 -0.1		2051 -0.1		2054 -0.1
						31	0302 0.1		
							0913 -0.1		
							M 1525 0.1		
							2137 -0.1		

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellene").

KORSØR

Dansk Normaltid (UT+1 time)

2010

Juli				August				September			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0406 0.1	16	0351 0.1	1	0517 0.1	16	0547 0.1	1	0027 -0.1	16	0127 -0.1
	1020 -0.1		1007 -0.1		1135 -0.1		1206 -0.1		0646 0.1		0745 0.1
To	1634 0.1	F	1624 0.1	S	1753 0.1	M	1824 0.1	O	1303 -0.1	To	1402 -0.1
	2250 -0.1		2242 -0.1			B		D	1921 0.1		2019 0.1
2	0506 0.1	17	0500 0.1	2	0011 -0.1	17	0043 -0.1	2	0138 -0.1	17	0235 -0.1
	1124 -0.1		1118 -0.1		0629 0.1		0701 0.1		0754 0.1		0851 0.1
F	1741 0.1	L	1737 0.1	M	1247 -0.1	Ti	1319 -0.1	To	1410 -0.1	F	1506 -0.1
	2358 -0.1		2356 -0.1		1904 0.1		1937 0.1		2025 0.1		2121 0.1
3	0616 0.1	18	0615 0.1	3	0121 -0.1	18	0154 -0.1	3	0240 -0.1	18	0336 -0.1
	1234 -0.1		1233 -0.1		0738 0.1		0812 0.1		0854 0.1		0951 0.1
L	1851 0.1	S	1852 0.1	Ti	1354 -0.1	O	1428 -0.1	F	1509 -0.1	L	1605 -0.1
		B		D	2009 0.1		2045 0.1		2122 0.1		2218 0.1
4	0109 -0.1	19	0110 -0.1	4	0224 -0.1	19	0300 -0.1	4	0335 -0.1	19	0431 -0.1
	0725 0.1		0728 0.1		0839 0.1		0915 0.1		0948 0.1		1045 0.1
S	1342 -0.1	M	1346 -0.1	O	1452 -0.1	To	1530 -0.2	L	1600 -0.1	S	1657 -0.1
D	1957 0.1		2003 0.1		2106 0.1		2145 0.2		2212 0.1		2309 0.1
5	0212 -0.1	20	0220 -0.1	5	0319 -0.1	20	0400 -0.2	5	0424 -0.1	20	0521 -0.1
	0827 0.1		0836 0.1		0932 0.1		1013 0.2		1035 0.1		1133 0.1
M	1442 -0.1	Ti	1453 -0.2	To	1544 -0.1	F	1627 -0.2	S	1645 -0.1	M	1744 -0.1
	2055 0.1		2108 0.2		2155 0.1		2240 0.2		2257 0.1		2354 0.1
6	0309 -0.1	21	0324 -0.2	6	0407 -0.1	21	0454 -0.2	6	0507 -0.1	21	0605 -0.1
	0921 0.1		0939 0.2		1018 0.1		1106 0.2		1117 0.1		1215 0.1
Ti	1534 -0.1	O	1553 -0.2	F	1629 -0.1	L	1718 -0.1	M	1727 -0.1	Ti	1824 -0.1
	2146 0.1		2207 0.2		2239 0.1		2330 0.1		2337 0.1		
7	0357 -0.1	22	0421 -0.2	7	0449 -0.1	22	0542 -0.1	7	0547 -0.1	22	0033 0.1
	1009 0.1		1034 0.2		1059 0.1		1154 0.1		1157 0.1		0642 -0.1
O	1619 -0.1	To	1648 -0.2	L	1709 -0.1	S	1805 -0.1	Ti	1806 -0.1	O	1250 0.1
	2230 0.1		2300 0.2		2318 0.1						1857 -0.1
8	0439 -0.1	23	0513 -0.2	8	0527 -0.1	23	0015 0.1	8	0015 0.1	23	0103 0.1
	1049 0.1		1126 0.2		1136 0.1		0626 -0.1		0624 -0.1		0709 -0.1
To	1658 -0.1	F	1738 -0.2	S	1745 -0.1	M	1236 0.1	O	1234 0.1	To	1315 0.1
	2307 0.1		2349 0.2		2354 0.1		1845 -0.1	A	1844 -0.1	C	1920 -0.1
9	0516 -0.1	24	0601 -0.1	9	0602 -0.1	24	0054 0.1	9	0053 0.1	24	0124 0.1
	1124 0.1		1212 0.1		1211 0.1		0703 -0.1		0703 -0.1		0728 -0.1
F	1732 -0.1	L	1823 -0.1	M	1819 -0.1	Ti	1311 0.1	To	1312 0.1	F	1333 0.1
	2340 0.1					C	1918 -0.1		1923 -0.1		1936 -0.1
10	0548 -0.1	25	0033 0.1	10	0028 0.1	25	0126 0.1	10	0133 0.1	25	0141 0.1
	1155 0.1		0644 -0.1		0636 -0.1		0733 -0.1		0744 -0.1		0745 -0.1
L	1803 -0.1	S	1254 0.1	Ti	1245 0.1	O	1339 0.1	F	1354 0.1	L	1351 0.1
			1903 -0.1	A	1854 -0.1		1944 -0.1		2006 -0.1		1957 -0.1
11	0010 0.1	26	0112 0.1	11	0104 0.1	26	0149 0.1	11	0218 0.1	26	0204 0.1
	0618 -0.1		0721 -0.1		0713 -0.1		0754 -0.1		0830 -0.1		0812 -0.1
S	1225 0.1	M	1330 0.1	O	1324 0.1	To	1400 0.1	L	1442 0.1	S	1421 0.1
A	1833 -0.1	C	1938 -0.1		1934 -0.1		2005 -0.1		2056 -0.1		2030 -0.1
12	0040 0.1	27	0145 0.1	12	0145 0.1	27	0211 0.1	12	0309 0.1	27	0242 0.1
	0648 -0.1		0753 -0.1		0756 -0.1		0817 -0.1		0924 -0.1		0854 -0.1
M	1257 0.1	Ti	1400 0.1	To	1408 0.1	F	1424 0.1	S	1539 0.1	M	1506 0.1
	1906 -0.1		2007 -0.1		2020 -0.1		2031 -0.1		2154 -0.1		2121 -0.1
13	0115 0.1	28	0214 0.1	13	0233 0.1	28	0239 0.1	13	0410 0.1	28	0335 0.1
	0725 -0.1		0821 -0.1		0845 -0.1		0848 -0.1		1027 -0.1		0951 -0.1
Ti	1336 0.1	O	1428 0.1	F	1500 0.1	L	1458 0.1	M	1644 0.1	Ti	1607 0.1
	1947 -0.1		2036 -0.1		2114 -0.1		2109 -0.1		2302 -0.1		2224 -0.1
14	0158 0.1	29	0243 0.1	14	0329 0.1	29	0322 0.1	14	0520 0.1	29	0442 0.1
	0810 -0.1		0851 -0.1		0945 -0.1		0935 -0.1		1138 -0.1		1100 -0.1
O	1423 0.1	To	1500 0.1	L	1600 0.1	S	1549 0.1	Ti	1757 0.1	O	1720 0.1
	2036 -0.1		2110 -0.1		2218 -0.1		2204 -0.1				2339 -0.1
15	0249 0.1	30	0321 0.1	15	0434 0.1	30	0421 0.1	15	0015 -0.1	30	0557 0.1
	0904 -0.1		0932 -0.1		1052 -0.1		1037 -0.1		0633 0.1		1217 -0.1
To	1518 0.1	F	1545 0.1	S	1710 0.1	M	1655 0.1	O	1251 -0.1	To	1836 0.1
	2134 -0.1		2157 -0.1		2329 -0.1		2313 -0.1	B	1909 0.1		
		31	0412 0.1			31	0532 0.1				
			1027 -0.1				1151 -0.1				
		L	1643 0.1				Ti	1809 0.1			
			2300 -0.1								

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortrul (Se "Forklaring til tabellerne").

KORSØR

Dansk Normaltid (UT+1 time)

2010

Oktober				November				December			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0054 -0.1 0712 0.1 F 1329 -0.1 D 1946 0.1	16	0207 -0.1 0824 0.1 L 1439 -0.1 2055 0.1	1	0233 -0.1 0849 0.1 M 1504 -0.1 2118 0.1	16	0338 -0.1 0951 0.1 Ti 1604 -0.1 2217 0.1	1	0308 -0.1 0923 0.2 O 1537 -0.2 2151 0.2	16	0356 -0.1 1008 0.1 To 1620 -0.1 2230 0.1
2	0203 -0.1 0818 0.1 L 1434 -0.1 2049 0.1	17	0310 -0.1 0925 0.1 S 1539 -0.1 2153 0.1	2	0333 -0.1 0947 0.1 Ti 1600 -0.1 2213 0.2	17	0429 -0.1 1040 0.1 O 1652 -0.1 2303 0.1	2	0405 -0.2 1018 0.2 To 1632 -0.2 2245 0.2	17	0442 -0.1 1051 0.1 F 1701 -0.1 2311 0.1
3	0303 -0.1 0918 0.1 S 1531 -0.1 2145 0.1	18	0406 -0.1 1020 0.1 M 1633 -0.1 2245 0.1	3	0426 -0.2 1039 0.2 O 1651 -0.2 2303 0.2	18	0513 -0.1 1123 0.1 To 1733 -0.1 2342 0.1	3	0457 -0.2 1109 0.2 F 1721 -0.2 2333 0.2	18	0520 -0.1 1128 0.1 L 1736 -0.1 2343 0.1
4	0358 -0.1 1010 0.1 M 1623 -0.1 2235 0.1	19	0457 -0.1 1109 0.1 Ti 1720 -0.1 2330 0.1	4	0515 -0.2 1126 0.2 To 1737 -0.2 2348 0.2	19	0550 -0.1 1158 0.1 F 1806 -0.1	4	0545 -0.2 1156 0.2 L 1807 -0.2	19	0551 -0.1 1157 0.1 S 1803 -0.1
5	0447 -0.1 1058 0.1 Ti 1709 -0.1 2321 0.1	20	0541 -0.1 1151 0.1 O 1800 -0.1	5	0600 -0.2 1210 0.1 F 1821 -0.1	20	0012 0.1 0618 -0.1 L 1224 0.1 1829 -0.1	5	0018 0.2 0629 -0.1 S 1239 0.1 A 1850 -0.1	20	0009 0.1 0615 -0.1 M 1220 0.1 1825 -0.1
6	0531 -0.1 1142 0.1 O 1752 -0.1	21	0009 0.1 0618 -0.1 To 1225 0.1 1833 -0.1	6	0031 0.1 0641 -0.1 L 1251 0.1 A 1901 -0.1	21	0033 0.1 0638 -0.1 S 1242 0.1 C 1847 -0.1	6	0100 0.1 0710 -0.1 M 1320 0.1 1930 -0.1	21	0031 0.1 0636 -0.1 Ti 1242 0.1 C 1848 -0.1
7	0003 0.1 0612 -0.1 To 1222 0.1 A 1833 -0.1	22	0039 0.1 0645 -0.1 F 1250 0.1 1854 -0.1	7	0112 0.1 0721 -0.1 S 1332 0.1 1942 -0.1	22	0051 0.1 0656 -0.1 M 1301 0.1 1907 -0.1	7	0140 0.1 0750 -0.1 Ti 1400 0.1 2009 -0.1	22	0056 0.1 0703 -0.1 O 1311 0.1 1920 -0.1
8	0042 0.1 0652 -0.1 F 1302 0.1 1912 -0.1	23	0059 0.1 0703 -0.1 L 1306 0.1 C 1910 -0.1	8	0152 0.1 0803 -0.1 M 1413 0.1 2024 -0.1	23	0113 0.1 0721 -0.1 Ti 1329 0.1 1938 -0.1	8	0220 0.1 0830 -0.1 O 1441 0.1 2052 -0.1	23	0129 0.1 0739 -0.1 To 1350 0.1 2001 -0.1
9	0122 0.1 0733 -0.1 L 1342 0.1 1954 -0.1	24	0114 0.1 0718 -0.1 S 1324 0.1 1929 -0.1	9	0236 0.1 0847 -0.1 Ti 1500 0.1 2112 -0.1	24	0148 0.1 0758 -0.1 O 1409 0.1 2021 -0.1	9	0303 0.1 0915 -0.1 To 1527 0.1 2141 -0.1	24	0213 0.1 0826 -0.1 F 1439 0.1 2053 -0.1
10	0204 0.1 0815 -0.1 S 1427 0.1 2039 -0.1	25	0136 0.1 0743 -0.1 M 1351 0.1 2000 -0.1	10	0325 0.1 0939 -0.1 O 1553 0.1 2208 -0.1	25	0234 0.1 0848 -0.1 To 1502 0.1 2117 -0.1	10	0354 0.1 1009 -0.1 F 1623 0.1 2239 -0.1	25	0308 0.1 0923 -0.1 L 1539 0.1 2156 -0.1
11	0252 0.1 0905 -0.1 M 1518 0.1 2133 -0.1	26	0211 0.1 0822 -0.1 Ti 1434 0.1 2047 -0.1	11	0424 0.1 1039 -0.1 To 1656 0.1 2313 -0.1	26	0333 0.1 0949 -0.1 F 1606 0.1 2224 -0.1	11	0455 0.1 1112 -0.1 L 1729 0.1 2346 -0.1	26	0413 0.1 1030 -0.1 S 1649 0.1 2307 -0.1
12	0348 0.1 1003 -0.1 Ti 1618 0.1 2235 -0.1	27	0300 0.1 0915 -0.1 O 1530 0.1 2146 -0.1	12	0531 0.1 1148 -0.1 F 1806 0.1	27	0442 0.1 1100 -0.1 L 1719 0.1 2339 -0.1	12	0604 0.1 1221 -0.1 S 1839 0.1	27	0527 0.1 1145 -0.1 M 1804 0.1
13	0452 0.1 1109 -0.1 O 1727 0.1 2345 -0.1	28	0403 0.1 1021 -0.1 To 1639 0.1 2257 -0.1	13	0025 -0.1 0643 0.1 L 1300 -0.1 B 1918 0.1	28	0557 0.1 1217 -0.1 S 1836 0.1 D	13	0057 -0.1 0715 0.1 M 1331 -0.1 B 1948 0.1	28	0023 -0.1 0642 0.1 Ti 1300 -0.1 D 1918 0.1
14	0603 0.1 1221 -0.1 To 1840 0.1 B	29	0516 0.1 1136 -0.1 F 1754 0.1	14	0136 -0.1 0752 0.1 S 1409 -0.1 2024 0.1	29	0054 -0.1 0712 0.1 M 1330 -0.1 1948 0.1	14	0204 -0.1 0820 0.1 Ti 1435 -0.1 2050 0.1	29	0136 -0.1 0754 0.1 O 1411 -0.1 2027 0.1
15	0058 -0.1 0716 0.1 F 1333 -0.1 1951 0.1	30	0014 -0.1 0633 0.1 L 1251 -0.1 D 1909 0.1	15	0240 -0.1 0855 0.1 M 1510 -0.1 2124 0.1	30	0205 -0.1 0821 0.1 Ti 1437 -0.1 2053 0.1	15	0304 -0.1 0918 0.1 O 1531 -0.1 2144 0.1	30	0243 -0.1 0859 0.2 To 1515 -0.2 2130 0.2
		31	0127 -0.1 0745 0.1 S 1401 -0.1 2018 0.1							31	0344 -0.2 0958 0.2 F 1612 -0.2 2226 0.2

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time.
Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellene").