

SKAGEN

Dansk Normaltid (UT+1 time)

2010

Januar				Februar				Marts			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0444 0.2	16	0548 0.1	1	0601 0.2	16	0618 0.1	1	0458 0.2	16	0530 0.1
	1023 -0.2		1118 -0.1		1144 -0.2		1148 -0.1		1043 -0.2		1101 -0.1
F	1725 0.2	L	1818 0.1	M	1845 0.2	Ti	1843 0.1	M	1739 0.2	Ti	1752 0.1
	2245 -0.2		2328 -0.1		2355 -0.2		2351 -0.1		2248 -0.2		2256 -0.1
2	0530 0.2	17	0618 0.1	2	0656 0.2	17	0654 0.1	2	0549 0.2	17	0557 0.1
	1109 -0.2		1147 -0.1		1238 -0.2		1228 -0.1		1131 -0.2		1126 -0.1
L	1815 0.2	S	1846 0.1	Ti	1939 0.1	O	1921 0.1	Ti	1828 0.1	O	1820 0.1
	2330 -0.2		2354 -0.1						2336 -0.2		2323 -0.1
3	0620 0.2	18	0648 0.1	3	0050 -0.1	18	0038 -0.1	3	0643 0.2	18	0633 0.1
	1200 -0.2		1221 -0.1		0754 0.2		0742 0.1		1224 -0.2		1203 -0.1
S	1906 0.2	M	1917 0.1	O	1338 -0.2	To	1319 -0.1	O	1921 0.1	To	1859 0.1
					2035 0.1		2011 0.1				
4	0020 -0.2	19	0031 -0.1	4	0152 -0.1	19	0136 -0.1	4	0032 -0.1	19	0008 -0.1
	0714 0.2		0727 0.1		0856 0.2		0836 0.1		0742 0.2		0721 0.1
M	1256 -0.2	Ti	1305 -0.1	To	1444 -0.2	F	1418 -0.1	To	1323 -0.1	F	1254 -0.1
	2000 0.2		1957 0.1		2136 0.1		2105 0.1		2017 0.1		1948 0.1
5	0115 -0.1	20	0120 -0.1	5	0300 -0.1	20	0239 -0.1	5	0135 -0.1	20	0107 -0.1
	0811 0.2		0813 0.1		1003 0.2		0933 0.1		0843 0.2		0815 0.1
Ti	1357 -0.2	O	1356 -0.1	F	1558 -0.1	L	1521 -0.1	F	1429 -0.1	L	1352 -0.1
	2056 0.2		2044 0.1	D	2242 0.1		2202 0.1		2118 0.1		2042 0.1
6	0215 -0.1	21	0216 -0.1	6	0416 -0.1	21	0345 -0.1	6	0245 -0.1	21	0212 -0.1
	0912 0.2		0905 0.1		1115 0.2		1033 0.2		0951 0.2		0913 0.2
O	1503 -0.2	To	1453 -0.1	L	1725 -0.1	S	1626 -0.1	L	1544 -0.1	S	1454 -0.1
	2157 0.1		2136 0.1		2351 0.1		2300 0.1		2223 0.1		2138 0.1
7	0321 -0.1	22	0316 -0.1	7	0539 -0.2	22	0451 -0.1	7	0403 -0.1	22	0318 -0.1
	1017 0.2		1001 0.2		1230 0.2		1135 0.2		1102 0.2		1013 0.2
To	1614 -0.2	F	1554 -0.1	S	1850 -0.1	M	1730 -0.1	S	1713 -0.1	M	1559 -0.1
	D 2301 0.1		2232 0.1			B	2357 0.1	D	2330 0.2		2236 0.1
8	0431 -0.1	23	0418 -0.1	8	0057 0.2	23	0554 -0.2	8	0530 -0.2	23	0426 -0.2
	1127 0.2		1059 0.2		0659 -0.2		1235 0.2		1214 0.2		1114 0.2
F	1734 -0.2	L	1657 -0.1	M	1337 0.2	Ti	1829 -0.2	M	1835 -0.1	Ti	1703 -0.1
		B	2329 0.1		1951 -0.2					B	2333 0.2
9	0009 0.1	24	0521 -0.1	9	0157 0.2	24	0054 0.2	9	0036 0.2	24	0532 -0.2
	0548 -0.1		1159 0.2		0800 -0.2		0652 -0.2		0648 -0.2		1215 0.2
L	1241 0.2	S	1759 -0.1	Ti	1435 0.2	O	1333 0.2	Ti	1318 0.2	O	1803 -0.1
	1855 -0.2				2039 -0.2		1921 -0.2		1932 -0.2		
10	0115 0.2	25	0025 0.1	10	0250 0.2	25	0146 0.2	10	0134 0.2	25	0030 0.2
	0703 -0.2		0621 -0.2		0850 -0.2		0744 -0.2		0747 -0.2		0633 -0.2
S	1349 0.2	M	1257 0.2	O	1526 0.2	To	1426 0.2	O	1415 0.2	To	1313 0.2
	2000 -0.2		1856 -0.2		2121 -0.1		2006 -0.2		2019 -0.2		1858 -0.2
11	0215 0.2	26	0119 0.2	11	0336 0.2	26	0235 0.2	11	0227 0.2	26	0126 0.2
	0806 -0.2		0714 -0.2		0933 -0.2		0830 -0.2		0836 -0.2		0730 -0.2
M	1450 0.2	Ti	1353 0.2	To	1612 0.2	F	1516 0.2	To	1504 0.2	F	1409 0.2
	2051 -0.1		1945 -0.2		2157 -0.1		2047 -0.2		2101 -0.2		1946 -0.2
12	0308 0.2	27	0209 0.2	12	0418 0.2	27	0323 0.2	12	0314 0.2	27	0218 0.2
	0857 -0.2		0801 -0.2		1008 -0.2		0915 -0.2		0918 -0.2		0819 -0.2
Ti	1542 0.2	O	1445 0.2	F	1651 0.1	L	1604 0.2	F	1549 0.2	L	1500 0.2
	2135 -0.1		2027 -0.2		2226 -0.1		2126 -0.2		2138 -0.1		2030 -0.2
13	0355 0.2	28	0255 0.2	13	0454 0.1	28	0409 0.2	13	0357 0.2	28	0309 0.2
	0941 -0.2		0845 -0.2		1037 -0.1		0958 -0.2		0954 -0.2		0906 -0.2
O	1630 0.2	To	1533 0.2	L	1725 0.1	S	1651 0.2	L	1629 0.1	S	1550 0.2
	2211 -0.1		2106 -0.2		2247 -0.1	C	2206 -0.2		2209 -0.1		2112 -0.2
14	0438 0.1	29	0340 0.2	14	0525 0.1	29	0433 0.2	14	0433 0.2	29	0400 0.2
	1018 -0.2		0927 -0.2		1100 -0.1		1023 -0.1		1023 -0.1		0951 -0.2
To	1711 0.1	F	1620 0.2	S	1752 0.1	S	1703 0.1	S	1703 0.1	M	1638 0.2
	2242 -0.1		2145 -0.2	A	2302 -0.1		2230 -0.1		2230 -0.1		2153 -0.2
15	0515 0.1	30	0424 0.2	15	0551 0.1	30	0504 0.1	15	0504 0.1	30	0450 0.2
	1051 -0.1		1009 -0.2		1121 -0.1		1043 -0.1		1043 -0.1		1036 -0.2
F	1747 0.1	L	1707 0.2	M	1815 0.1		1730 0.1	M	1730 0.1	Ti	1726 0.1
	A 2306 -0.1	C	2224 -0.2		2319 -0.1		2242 -0.1	A	2242 -0.1	C	2236 -0.1
31		31	0511 0.2							31	0542 0.2
			1054 -0.2								1124 -0.2
		S	1755 0.2								1815 0.1
			2307 -0.2								2325 -0.1

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellene").

SKAGEN

Dansk Normaltid (UT+1 time)

2010

April			Maj				Juni										
Tid	m		Tid	m	Tid	m	Tid	m	Tid	m	Tid	m					
1	0636	0.2	16	0621	0.1	1	0014	-0.1	16	0652	0.1	1	0150	-0.1	16	0113	-0.2
	1215	-0.1		1149	-0.1		0723	0.2		1220	-0.1		0848	0.1		0813	0.2
To	1906	0.1	F	1842	0.1	L	1259	-0.1	S	1909	0.1	Ti	1422	-0.1	O	1337	-0.1
				2353	-0.1		1945	0.1					2104	0.1		2029	0.2
2	0021	-0.1	17	0707	0.1	2	0111	-0.1	17	0035	-0.1	2	0249	-0.1	17	0213	-0.2
	0732	0.2		1236	-0.1		0818	0.1		0742	0.1		0941	0.1		0909	0.2
F	1311	-0.1	L	1929	0.1	S	1354	-0.1	M	1310	-0.1	O	1522	-0.1	To	1435	-0.1
	2001	0.1					2038	0.1		2000	0.1		2158	0.1		2127	0.2
3	0123	-0.1	18	0049	-0.1	3	0214	-0.1	18	0133	-0.1	3	0359	-0.1	18	0319	-0.2
	0832	0.2		0800	0.1		0915	0.1		0836	0.2		1039	0.1		1009	0.2
L	1414	-0.1	S	1331	-0.1	M	1458	-0.1	Ti	1406	-0.1	To	1633	-0.1	F	1537	-0.1
	2059	0.1		2021	0.1		2135	0.1		2053	0.1		2256	0.2		2228	0.2
4	0231	-0.1	19	0152	-0.1	4	0323	-0.1	19	0236	-0.2	4	0520	-0.1	19	0432	-0.2
	0936	0.2		0855	0.2		1016	0.1		0933	0.2		1139	0.1		1112	0.2
S	1525	-0.1	M	1431	-0.1	Ti	1611	-0.1	O	1505	-0.1	F	1751	-0.1	L	1645	-0.1
	2201	0.1		2115	0.1		2234	0.2		2150	0.2	D	2356	0.2	B	2334	0.2
5	0347	-0.1	20	0257	-0.1	5	0443	-0.2	20	0342	-0.2	5	0632	-0.2	20	0554	-0.2
	1043	0.2		0954	0.2		1119	0.2		1032	0.2		1239	0.1		1218	0.2
M	1649	-0.1	Ti	1533	-0.1	O	1730	-0.1	To	1606	-0.1	L	1853	-0.1	S	1757	-0.1
	2305	0.2		2212	0.1		2336	0.2	B	2249	0.2						
6	0513	-0.2	21	0403	-0.2	6	0601	-0.2	21	0451	-0.2	6	0054	0.2	21	0043	0.2
	1151	0.2		1054	0.2		1221	0.2		1134	0.2		0727	-0.2		0715	-0.2
Ti	1808	-0.1	O	1636	-0.1	To	1833	-0.1	F	1711	-0.1	S	1333	0.1	M	1324	0.2
D			B	2311	0.2	D				2351	0.2		1943	-0.1		1909	-0.2
7	0009	0.2	22	0512	-0.2	7	0035	0.2	22	0605	-0.2	7	0146	0.2	22	0150	0.2
	0629	-0.2		1154	0.2		0702	-0.2		1237	0.2		0814	-0.2		0816	-0.2
O	1253	0.2	To	1737	-0.1	F	1317	0.2	L	1815	-0.1	M	1422	0.1	Ti	1424	0.2
	1906	-0.2					1926	-0.2					2026	-0.1		2009	-0.2
8	0107	0.2	23	0010	0.2	8	0130	0.2	23	0055	0.2	8	0233	0.2	23	0250	0.2
	0727	-0.2		0618	-0.2		0753	-0.2		0715	-0.2		0854	-0.2		0907	-0.2
To	1348	0.2	F	1255	0.2	L	1409	0.2	S	1339	0.2	Ti	1506	0.1	O	1518	0.2
	1954	-0.2		1836	-0.1		2012	-0.2		1917	-0.1		2103	-0.1		2102	-0.2
9	0200	0.2	24	0109	0.2	9	0220	0.2	24	0157	0.2	9	0316	0.2	24	0345	0.2
	0816	-0.2		0719	-0.2		0838	-0.2		0814	-0.2		0929	-0.2		0953	-0.2
F	1439	0.2	L	1354	0.2	S	1456	0.2	M	1436	0.2	O	1543	0.1	To	1608	0.2
	2038	-0.2		1929	-0.1		2054	-0.1		2012	-0.2		2131	-0.1		2149	-0.2
10	0248	0.2	25	0206	0.2	10	0305	0.2	25	0257	0.2	10	0354	0.2	25	0436	0.2
	0900	-0.2		0814	-0.2		0918	-0.2		0906	-0.2		0956	-0.1		1033	-0.1
L	1524	0.2	S	1448	0.2	M	1538	0.1	Ti	1530	0.2	To	1617	0.1	F	1654	0.1
	2117	-0.1		2018	-0.1		2129	-0.1		2103	-0.2		2154	-0.1		2233	-0.2
11	0332	0.2	26	0301	0.2	11	0345	0.2	26	0351	0.2	11	0431	0.2	26	0524	0.2
	0937	-0.2		0903	-0.2		0951	-0.1		0953	-0.2		1020	-0.1		1111	-0.1
S	1605	0.1	M	1539	0.2	Ti	1615	0.1	O	1620	0.1	F	1649	0.1	L	1739	0.1
	2150	-0.1		2103	-0.1		2155	-0.1		2149	-0.1		2220	-0.1	C	2314	-0.1
12	0410	0.2	27	0354	0.2	12	0421	0.2	27	0444	0.2	12	0509	0.2	27	0608	0.2
	1008	-0.1		0950	-0.2		1016	-0.1		1036	-0.1		1047	-0.1		1146	-0.1
M	1640	0.1	Ti	1629	0.1	O	1645	0.1	To	1708	0.1	L	1724	0.1	S	1821	0.1
	2214	-0.1		2148	-0.1		2215	-0.1	C	2235	-0.1	A	2251	-0.1		2354	-0.1
13	0443	0.1	28	0447	0.2	13	0454	0.1	28	0533	0.2	13	0549	0.2	28	0651	0.1
	1030	-0.1		1036	-0.2		1038	-0.1		1118	-0.1		1120	-0.1		1221	-0.1
Ti	1709	0.1	O	1717	0.1	To	1715	0.1	F	1754	0.1	S	1803	0.1	M	1903	0.1
	2228	-0.1	C	2233	-0.1		2235	-0.1		2320	-0.1		2330	-0.1			
14	0512	0.1	29	0538	0.2	14	0528	0.1	29	0622	0.2	14	0633	0.2	29	0034	-0.1
	1049	-0.1		1121	-0.1		1103	-0.1		1200	-0.1		1159	-0.1		0733	0.1
O	1734	0.1	To	1805	0.1	F	1747	0.1	L	1839	0.1	M	1847	0.1	Ti	1257	-0.1
A	2244	-0.1		2321	-0.1	A	2303	-0.1								1945	0.1
15	0543	0.1	30	0630	0.2	15	0607	0.1	30	0006	-0.1	15	0018	-0.2	30	0118	-0.1
	1113	-0.1		1208	-0.1		1137	-0.1		0709	0.1		0721	0.2		0815	0.1
To	1804	0.1	F	1854	0.1	L	1825	0.1	S	1243	-0.1	Ti	1245	-0.1	O	1339	-0.1
	2310	-0.1					2344	-0.1		1926	0.1		1936	0.1		2029	0.1
									31	0056	-0.1						
										0758	0.1						
									M	1330	-0.1						
										2014	0.1						

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellerne").

SKAGEN

Dansk Normaltid (UT+1 time)

2010

Juli				August				September			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0208 -0.1	16	0149 -0.2	1	0306 -0.1	16	0344 -0.1	1	0422 -0.1	16	0607 -0.1
	0859 -0.1		0843 0.1		0947 0.1		1021 0.1		1049 0.1		1204 0.2
To	1428 -0.1	F	1404 -0.1	S	1525 -0.1	M	1554 -0.1	O	1641 -0.1	To	1809 -0.2
	2117 0.1		2104 0.2		2215 0.1	B	2257 0.2	D	2327 0.2		
2	0304 -0.1	17	0254 -0.2	2	0415 -0.1	17	0518 -0.1	2	0531 -0.1	17	0050 0.2
	0949 0.1		0943 0.1		1043 0.1		1130 0.1		1147 0.1		0711 -0.2
F	1527 -0.1	L	1509 -0.1	M	1634 -0.1	Ti	1717 -0.2	To	1746 -0.1	F	1307 0.2
	2209 0.1		2208 0.2		2314 0.1						1917 -0.2
3	0413 -0.1	18	0410 -0.1	3	0539 -0.1	18	0010 0.2	3	0025 0.2	18	0149 0.2
	1045 0.1		1048 0.1		1143 0.1		0651 -0.1		0632 -0.1		0801 -0.2
L	1638 -0.1	S	1620 -0.1	Ti	1748 -0.1	O	1238 0.2	F	1242 0.1	L	1404 0.2
	2307 0.1	B	2317 0.2	D			1840 -0.2		1844 -0.2		2011 -0.2
4	0543 -0.1	19	0542 -0.1	4	0014 0.2	19	0118 0.2	4	0120 0.2	19	0242 0.2
	1146 0.1		1157 0.1		0651 -0.1		0748 -0.2		0721 -0.1		0845 -0.2
S	1801 -0.1	M	1739 -0.1	O	1242 0.1	To	1340 0.2	L	1335 0.2	S	1455 0.2
D					1851 -0.1		1945 -0.2		1934 -0.2		2058 -0.2
5	0007 0.2	20	0030 0.2	5	0110 0.2	20	0218 0.2	5	0212 0.2	20	0330 0.2
	0654 -0.1		0711 -0.2		0737 -0.1		0834 -0.2		0802 -0.2		0925 -0.2
M	1246 0.1	Ti	1304 0.2	To	1333 0.1	F	1435 0.2	S	1423 0.2	M	1542 0.2
	1903 -0.1		1859 -0.2		1937 -0.2		2038 -0.2		2018 -0.2		2139 -0.2
6	0104 0.2	21	0138 0.2	6	0201 0.2	21	0310 0.2	6	0300 0.2	21	0413 0.2
	0743 -0.1		0809 -0.2		0814 -0.1		0917 -0.2		0840 -0.2		1000 -0.1
Ti	1339 0.1	O	1406 0.2	F	1420 0.1	L	1525 0.2	M	1509 0.2	Ti	1624 0.2
	1949 -0.1		2003 -0.2		2016 -0.2		2124 -0.2		2100 -0.2		2213 -0.1
7	0155 0.2	22	0238 0.2	7	0248 0.2	22	0358 0.2	7	0345 0.2	22	0451 0.1
	0824 -0.2		0857 -0.2		0846 -0.1		0955 -0.2		0917 -0.2		1028 -0.1
O	1424 0.1	To	1500 0.2	L	1503 0.2	S	1611 0.2	Ti	1556 0.2	O	1702 0.1
	2026 -0.1		2055 -0.2		2053 -0.2		2204 -0.2		2142 -0.2		2239 -0.1
8	0241 0.2	23	0332 0.2	8	0332 0.2	23	0442 0.2	8	0430 0.2	23	0523 0.1
	0857 -0.2		0940 -0.2		0918 -0.1		1030 -0.1		0954 -0.2		1046 -0.1
To	1505 0.1	F	1550 0.2	S	1544 0.2	M	1654 0.2	O	1642 0.2	To	1733 0.1
	2057 -0.1		2141 -0.2		2129 -0.2		2239 -0.1	A	2224 -0.2	C	2258 -0.1
9	0323 0.2	24	0421 0.2	9	0415 0.2	24	0522 0.1	9	0517 0.2	24	0548 0.1
	0926 -0.1		1019 -0.1		0950 -0.1		1058 -0.1		1033 -0.2		1058 -0.1
F	1542 0.1	L	1636 0.2	M	1625 0.2	Ti	1732 0.1	To	1732 0.2	F	1800 0.1
	2126 -0.1		2223 -0.2		2207 -0.2	C	2309 -0.1		2311 -0.2		2316 -0.1
10	0403 0.2	25	0506 0.2	10	0458 0.2	25	0557 0.1	10	0605 0.1	25	0609 0.1
	0953 -0.1		1054 -0.1		1024 -0.1		1121 -0.1		1118 -0.2		1115 -0.1
L	1618 0.1	S	1718 0.2	Ti	1709 0.2	O	1806 0.1	F	1824 0.2	L	1830 0.1
	2157 -0.2		2300 -0.1	A	2248 -0.2		2333 -0.1				2346 -0.1
11	0443 0.2	26	0548 0.1	11	0543 0.2	26	0626 0.1	11	0001 -0.2	26	0639 0.1
	1021 -0.1		1125 -0.1		1103 -0.1		1139 -0.1		0655 0.1		1150 -0.1
S	1656 0.1	M	1758 0.1	O	1756 0.2	To	1836 0.1	L	1209 -0.2	S	1910 0.1
A	2232 -0.2	C	2334 -0.1		2334 -0.2		2357 -0.1		1920 0.2		
12	0525 0.2	27	0626 0.1	12	0631 0.2	27	0653 0.1	12	0057 -0.1	27	0031 -0.1
	1054 -0.1		1153 -0.1		1146 -0.1		1200 -0.1		0750 0.1		0723 0.1
M	1736 0.1	Ti	1836 0.1	To	1847 0.2	F	1909 0.1	S	1308 -0.2	M	1242 -0.1
	2312 -0.2								2020 0.2		1959 0.1
13	0609 0.2	28	0006 -0.1	13	0026 -0.2	28	0030 -0.1	13	0201 -0.1	28	0127 -0.1
	1133 -0.1		0701 0.1		0722 0.1		0724 0.1		0848 0.1		0814 0.1
Ti	1821 0.1	O	1220 -0.1	F	1237 -0.1	L	1237 -0.1	M	1414 -0.2	Ti	1345 -0.1
	2357 -0.2		1912 0.1		1942 0.2		1949 0.1		2124 0.2		2053 0.1
14	0657 0.2	29	0039 -0.1	14	0124 -0.2	29	0115 -0.1	14	0312 -0.1	29	0228 -0.1
	1216 -0.1		0736 0.1		0817 0.1		0806 0.1		0951 0.1		0909 0.1
O	1911 0.2	To	1251 -0.1	L	1335 -0.1	S	1328 -0.1	Ti	1526 -0.2	O	1449 -0.1
			1950 0.1		2042 0.2		2036 0.1		2232 0.2		2149 0.2
15	0050 -0.2	30	0119 -0.1	15	0229 -0.1	30	0212 -0.1	15	0436 -0.1	30	0332 -0.1
	0748 0.1		0812 0.1		0916 0.1		0856 0.1		1057 0.1		1006 0.1
To	1307 -0.1	F	1333 -0.1	S	1441 -0.1	M	1429 -0.1	O	1646 -0.2	To	1554 -0.1
	2005 0.2		2033 0.1		2147 0.2		2130 0.1	B	2343 0.2		2247 0.2
		31	0208 -0.1			31	0315 -0.1				
			0856 0.1				0951 0.1				
			L 1424 -0.1				Ti 1534 -0.1				
			2121 0.1				2227 0.1				

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellene").

SKAGEN

Dansk Normaltid (UT+1 time)

2010

Oktober			November			December											
Tid	m		Tid	m		Tid	m		Tid	m							
1	0435	-0.1	16	0012	0.2	1	0008	0.2	16	0126	0.2	1	0039	0.2	16	0132	0.1
	1103	-0.1		0622	-0.1		0548	-0.1		0728	-0.1		0613	-0.2		0736	-0.1
F	1657	-0.2	L	1228	0.2	M	1221	0.2	Ti	1342	0.2	O	1258	0.2	To	1352	0.2
D	2345	0.2		1839	-0.2		1823	-0.2		1951	-0.2		1900	-0.2		2000	-0.1
2	0536	-0.1	17	0112	0.2	2	0105	0.2	17	0217	0.2	2	0138	0.2	17	0219	0.1
	1200	0.2		0720	-0.2		0642	-0.2		0815	-0.1		0711	-0.2		0818	-0.1
L	1759	-0.2	S	1327	0.2	Ti	1319	0.2	O	1433	0.2	To	1400	0.2	F	1439	0.2
				1938	-0.2		1920	-0.2		2036	-0.2		1957	-0.2		2037	-0.1
3	0042	0.2	18	0207	0.2	3	0200	0.2	18	0301	0.1	3	0233	0.2	18	0258	0.1
	0630	-0.1		0809	-0.2		0733	-0.2		0854	-0.1		0804	-0.2		0850	-0.1
S	1254	0.2	M	1421	0.2	O	1416	0.2	To	1517	0.2	F	1459	0.2	L	1518	0.2
	1855	-0.2		2027	-0.2		2012	-0.2		2111	-0.1		2048	-0.2		2106	-0.1
4	0136	0.2	19	0256	0.2	4	0253	0.2	19	0339	0.1	4	0325	0.2	19	0331	0.1
	0720	-0.2		0851	-0.1		0821	-0.2		0923	-0.1		0854	-0.2		0915	-0.1
M	1348	0.2	Ti	1509	0.2	To	1512	0.2	F	1554	0.1	L	1554	0.2	S	1554	0.2
	1946	-0.2		2109	-0.2		2100	-0.2		2137	-0.1		2135	-0.1		2132	-0.1
5	0228	0.2	20	0339	0.1	5	0342	0.2	20	0409	0.1	5	0414	0.1	20	0401	0.1
	0804	-0.2		0928	-0.1		0906	-0.2		0943	-0.1		0940	-0.2		0940	-0.1
Ti	1439	0.2	O	1552	0.2	F	1605	0.2	L	1626	0.1	S	1645	0.2	M	1630	0.1
	2033	-0.2		2143	-0.1		2146	-0.2		2157	-0.1	A	2218	-0.1		2159	-0.1
6	0317	0.2	21	0417	0.1	6	0431	0.1	21	0433	0.1	6	0500	0.1	21	0433	0.1
	0845	-0.2		0956	-0.1		0951	-0.2		1000	-0.1		1026	-0.2		1010	-0.2
O	1530	0.2	To	1629	0.1	L	1657	0.2	S	1657	0.1	M	1734	0.2	Ti	1708	0.2
	2119	-0.2		2208	-0.1	A	2231	-0.1	C	2220	-0.1		2259	-0.1	C	2231	-0.1
7	0405	0.2	22	0446	0.1	7	0518	0.1	22	0500	0.1	7	0545	0.1	22	0510	0.1
	0926	-0.2		1013	-0.1		1037	-0.2		1025	-0.1		1112	-0.2		1046	-0.2
To	1621	0.2	F	1659	0.1	S	1748	0.2	M	1731	0.1	Ti	1821	0.1	O	1750	0.2
A	2203	-0.2		2225	-0.1		2317	-0.1		2251	-0.1		2341	-0.1		2309	-0.1
8	0452	0.1	23	0509	0.1	8	0606	0.1	23	0534	0.1	8	0631	0.1	23	0553	0.1
	1008	-0.2		1025	-0.1		1127	-0.2		1102	-0.1		1159	-0.2		1130	-0.2
F	1712	0.2	L	1726	0.1	M	1840	0.2	Ti	1813	0.1	O	1909	0.1	To	1836	0.2
	2249	-0.2	C	2244	-0.1					2332	-0.1					2354	-0.1
9	0540	0.1	24	0530	0.1	9	0006	-0.1	24	0618	0.1	9	0026	-0.1	24	0642	0.2
	1054	-0.2		1044	-0.1		0656	0.1		1148	-0.2		0718	0.1		1221	-0.2
L	1805	0.2	S	1758	0.1	Ti	1221	-0.2	O	1900	0.2	To	1250	-0.2	F	1927	0.2
	2338	-0.1		2314	-0.1		1933	0.2					1957	0.1			
10	0630	0.1	25	0603	0.1	10	0059	-0.1	25	0021	-0.1	10	0116	-0.1	25	0045	-0.1
	1145	-0.2		1120	-0.1		0748	0.1		0708	0.1		0808	0.1		0736	0.2
S	1900	0.2	M	1839	0.1	O	1319	-0.2	To	1244	-0.2	F	1345	-0.2	L	1318	-0.2
				2357	-0.1		2028	0.2		1952	0.2		2046	0.1		2020	0.2
11	0032	-0.1	26	0647	0.1	11	0156	-0.1	26	0115	-0.1	11	0211	-0.1	26	0140	-0.1
	0722	0.1		1211	-0.1		0842	0.1		0802	0.1		0900	0.1		0832	0.2
M	1243	-0.2	Ti	1927	0.1	To	1421	-0.2	F	1343	-0.2	L	1443	-0.2	S	1418	-0.2
	1957	0.2					2125	0.2		2046	0.2		2139	0.1		2115	0.2
12	0130	-0.1	27	0051	-0.1	12	0258	-0.1	27	0212	-0.1	12	0312	-0.1	27	0239	-0.1
	0818	0.1		0739	0.1		0940	0.1		0857	0.2		0956	0.1		0930	0.2
Ti	1347	-0.2	O	1310	-0.1	F	1527	-0.2	L	1445	-0.2	S	1546	-0.1	M	1521	-0.2
	2057	0.2		2021	0.2		2224	0.2		2142	0.2		2236	0.1		2214	0.2
13	0236	-0.1	28	0149	-0.1	13	0406	-0.1	28	0312	-0.1	13	0418	-0.1	28	0342	-0.1
	0917	0.1		0833	0.1		1040	0.2		0955	0.2		1055	0.2		1033	0.2
O	1454	-0.2	To	1413	-0.2	L	1637	-0.2	S	1548	-0.2	M	1655	-0.1	Ti	1628	-0.2
	2201	0.2		2115	0.2	B	2327	0.2	D	2239	0.2	B	2336	0.1	D	2315	0.2
14	0347	-0.1	29	0250	-0.1	14	0521	-0.1	29	0412	-0.1	14	0531	-0.1	29	0447	-0.2
	1019	0.1		0929	0.1		1143	0.2		1054	0.2		1157	0.2		1138	0.2
To	1608	-0.2	F	1516	-0.2	S	1751	-0.2	M	1652	-0.2	Ti	1807	-0.1	O	1739	-0.2
B	2307	0.2		2212	0.2					2339	0.2						
15	0507	-0.1	30	0350	-0.1	15	0028	0.2	30	0513	-0.2	15	0036	0.1	30	0018	0.2
	1124	0.2		1026	0.2		0631	-0.1		1156	0.2		0642	-0.1		0554	-0.2
F	1727	-0.2	L	1619	-0.2	M	1245	0.2	Ti	1757	-0.2	O	1257	0.2	To	1245	0.2
			D	2310	0.2		1857	-0.2					1910	-0.1		1848	-0.2
			31	0450	-0.1										31	0121	0.2
				1123	0.2											0659	-0.2
			S	1722	-0.2										F	1351	0.2
																1950	-0.2

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortnul (Se "Forklaring til tabellene").