

SLIPSHAVN

Dansk Normaltid (UT+1 time)

2010

Januar				Februar				Marts			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0000 0.2	16	0133 0.1	1	0107 0.2	16	0159 0.1	1	0017 0.2	16	0104 0.1
	0608 -0.1		0741 -0.1		0711 -0.1		0750 -0.1		0618 -0.1		0655 -0.1
F	1206 0.2	L	1333 0.1	M	1316 0.2	Ti	1350 0.1	M	1224 0.2	Ti	1254 0.1
	1818 -0.2		1943 -0.1		1938 -0.2		2013 -0.1		1843 -0.2		1913 -0.1
2	0037 0.2	17	0205 0.1	2	0157 0.2	17	0225 0.1	2	0058 0.2	17	0121 0.1
	0644 -0.1		0807 -0.1		0800 -0.1		0817 -0.1		0659 -0.1		0710 -0.1
L	1244 0.2	S	1359 0.1	Ti	1409 0.2	O	1426 0.1	Ti	1307 0.2	O	1316 0.1
	1900 -0.2		2015 -0.1		2035 -0.2		2053 -0.1		1930 -0.2		1938 -0.1
3	0121 0.2	18	0237 0.1	3	0254 0.1	18	0303 0.1	3	0144 0.1	18	0142 0.1
	0727 -0.1		0834 -0.1		0858 -0.1		0859 -0.1		0745 -0.1		0735 -0.1
S	1330 0.2	M	1430 0.1	O	1513 0.2	To	1515 0.1	O	1358 0.2	To	1349 0.1
	1951 -0.2		2052 -0.1		2142 -0.2		2144 -0.1		2024 -0.2		2012 -0.1
4	0212 0.2	19	0313 0.1	4	0403 0.1	19	0354 0.1	4	0238 0.1	19	0215 0.1
	0818 -0.1		0909 -0.1		1008 -0.1		0954 -0.1		0840 -0.1		0815 -0.1
M	1426 0.2	Ti	1511 0.1	To	1627 0.2	F	1616 0.1	To	1458 0.2	F	1436 0.1
	2050 -0.2		2139 -0.1		2300 -0.2		2245 -0.1		2127 -0.2		2059 -0.1
5	0313 0.2	20	0400 0.1	5	0519 0.1	20	0454 0.1	5	0341 0.1	20	0303 0.1
	0920 -0.1		0956 -0.1		1127 -0.1		1058 -0.1		0946 -0.1		0907 -0.1
Ti	1532 0.2	O	1605 0.1	F	1748 0.2	L	1723 0.1	F	1609 0.2	L	1533 0.2
	2200 -0.2		2236 -0.1	D			2351 -0.1		2240 -0.1		2157 -0.1
6	0424 0.1	21	0455 0.1	6	0020 -0.2	21	0559 0.1	6	0454 0.1	21	0402 0.1
	1033 -0.1		1054 -0.1		0637 0.1		1205 -0.1		1101 -0.1		1011 -0.1
O	1648 0.2	To	1708 0.1	L	1245 -0.1	S	1830 0.2	L	1727 0.2	S	1639 0.2
	2319 -0.2		2339 -0.1		1906 0.2				2357 -0.1		2303 -0.1
7	0543 0.1	22	0555 0.1	7	0134 -0.2	22	0055 -0.1	7	0610 0.1	22	0508 0.1
	1151 -0.1		1155 -0.1		0748 0.2		0702 0.1		1218 -0.1		1121 -0.2
To	1809 0.2	F	1813 0.1	S	1356 -0.2	M	1309 -0.2	S	1845 0.2	M	1750 0.2
D					2016 0.2	B	1934 0.2	D			
8	0039 -0.2	23	0042 -0.1	8	0241 -0.2	23	0155 -0.2	8	0112 -0.2	23	0011 -0.1
	0701 0.2		0655 0.1		0852 0.2		0800 0.1		0722 0.1		0616 0.1
F	1309 -0.2	L	1257 -0.1	M	1459 -0.2	Ti	1409 -0.2	M	1331 -0.2	Ti	1231 -0.2
	1926 0.2	B	1915 0.2		2119 0.2		2033 0.2		1955 0.2	B	1859 0.2
9	0154 -0.2	24	0141 -0.2	9	0341 -0.2	24	0250 -0.2	9	0218 -0.2	24	0117 -0.1
	0812 0.2		0750 0.1		0949 0.2		0852 0.2		0826 0.2		0722 0.1
L	1418 -0.2	S	1353 -0.1	Ti	1556 -0.2	O	1503 -0.2	Ti	1435 -0.2	O	1337 -0.2
	2036 0.2		2012 0.2		2215 0.2		2125 0.2		2057 0.2		2003 0.2
10	0300 -0.2	25	0234 -0.2	10	0435 -0.2	25	0339 -0.2	10	0317 -0.2	25	0218 -0.2
	0915 0.2		0840 0.1		1040 0.2		0940 0.2		0923 0.2		0822 0.2
S	1521 -0.2	M	1444 -0.2	O	1648 -0.2	To	1552 -0.2	O	1533 -0.2	To	1438 -0.2
	2138 0.2		2103 0.2		2307 0.2		2212 0.2		2154 0.2		2102 0.2
11	0400 -0.2	26	0322 -0.2	11	0524 -0.2	26	0423 -0.2	11	0410 -0.2	26	0313 -0.2
	1012 0.2		0925 0.1		1126 0.2		1024 0.2		1014 0.2		0917 0.2
M	1617 -0.2	Ti	1530 -0.2	To	1734 -0.2	F	1637 -0.2	To	1624 -0.2	F	1533 -0.2
	2234 0.2		2149 0.2		2354 0.2		2257 0.2		2245 0.2		2154 0.2
12	0454 -0.2	27	0405 -0.2	12	0607 -0.2	27	0503 -0.2	12	0458 -0.2	27	0403 -0.2
	1103 0.2		1006 0.2		1206 0.2		1104 0.2		1100 0.2		1006 0.2
Ti	1708 -0.2	O	1612 -0.2	F	1815 -0.2	L	1719 -0.2	F	1711 -0.2	L	1624 -0.2
	2325 0.2		2231 0.2				2337 0.2		2331 0.2		2243 0.2
13	0544 -0.2	28	0444 -0.2	13	0036 0.2	28	0541 -0.2	13	0540 -0.2	28	0448 -0.2
	1149 0.2		1042 0.2		0644 -0.1		1143 0.2		1139 0.2		1053 0.2
O	1754 -0.2	To	1651 -0.2	L	1239 0.1	S	1800 -0.2	L	1752 -0.2	S	1711 -0.2
			2310 0.2		1850 -0.2	C					2327 0.2
14	0012 0.2	29	0519 -0.2	14	0109 0.1	29	0109 0.1	14	0011 0.2	29	0530 -0.2
	0629 -0.2		1117 0.2		0712 -0.1		0712 -0.1		0615 -0.1		1136 0.2
To	1230 0.1	F	1728 -0.2	S	1305 0.1		1305 0.1	S	1212 0.1	M	1755 -0.2
	1835 -0.2		2348 0.2	A	1918 -0.1		1918 -0.1		1826 -0.2		
15	0055 0.2	30	0553 -0.1	15	0136 0.1	30	0136 0.1	15	0042 0.1	30	0009 0.2
	0708 -0.1		1152 0.2		0731 -0.1		0731 -0.1		0639 -0.1		0610 -0.2
F	1305 0.1	L	1807 -0.2	M	1326 0.1		1326 0.1	M	1236 0.1	Ti	1218 0.2
A	1912 -0.2	C			1944 -0.1		1944 -0.1	A	1852 -0.1	C	1839 -0.2
		31	0025 0.2							31	0051 0.1
			0629 -0.1								0650 -0.1
			1231 0.2								1302 0.2
			1849 -0.2								1924 -0.2

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højderne er angivet i forhold til kortnui (Se "Forklaring til tabellerne").

SLIPSHAVN

Dansk Normaltid (UT+1 time)

2010

Juli				August				September			
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m
1	0343 0.1	16	0258 0.2	1	0451 0.1	16	0503 0.2	1	0612 0.1	16	0050 -0.2
	1008 -0.1		0924 -0.2		1124 -0.1		1134 -0.2		1237 -0.1		0717 0.2
To	1636 0.1	F	1545 0.2	S	1739 0.1	M	1750 0.1	O	1842 0.1	To	1340 -0.2
	2239 -0.1		2152 -0.1		2339 -0.1	B	2359 -0.2	D			1948 0.2
2	0442 0.1	17	0408 0.2	2	0557 0.1	17	0623 0.2	2	0051 -0.1	17	0200 -0.2
	1110 -0.1		1038 -0.2		1227 -0.1		1251 -0.2		0716 0.2		0825 0.2
F	1737 0.1	L	1659 0.1	M	1840 0.1	Ti	1906 0.1	To	1337 -0.1	F	1445 -0.2
	2339 -0.1		2307 -0.1						1941 0.1		2051 0.2
3	0546 0.1	18	0526 0.2	3	0041 -0.1	18	0114 -0.2	3	0151 -0.2	18	0303 -0.2
	1215 -0.1		1156 -0.2		0700 0.1		0737 0.2		0815 0.2		0926 0.2
L	1839 0.1	S	1816 0.1	Ti	1327 -0.1	O	1403 -0.2	F	1432 -0.2	L	1542 -0.2
		B		D	1936 0.1		2014 0.2		2034 0.1		2147 0.2
4	0039 -0.1	19	0024 -0.2	4	0139 -0.1	19	0223 -0.2	4	0245 -0.2	19	0400 -0.2
	0649 0.1		0644 0.2		0758 0.2		0845 0.2		0908 0.2		1021 0.2
S	1318 -0.1	M	1313 -0.2	O	1421 -0.2	To	1507 -0.2	L	1521 -0.2	S	1634 -0.2
D	1936 0.1		1930 0.2		2027 0.1		2115 0.2		2122 0.2		2237 0.2
5	0136 -0.1	20	0138 -0.2	5	0231 -0.2	20	0324 -0.2	5	0334 -0.2	20	0451 -0.2
	0748 0.2		0757 0.2		0851 0.2		0945 0.2		0955 0.2		1111 0.2
M	1413 -0.2	Ti	1423 -0.2	To	1510 -0.2	F	1604 -0.2	S	1604 -0.2	M	1721 -0.2
	2027 0.1		2037 0.2		2113 0.1		2211 0.2		2206 0.2		2322 0.2
6	0227 -0.1	21	0244 -0.2	6	0318 -0.2	21	0420 -0.2	6	0419 -0.2	21	0536 -0.2
	0840 0.2		0903 0.2		0937 0.2		1041 0.2		1038 0.2		1156 0.2
Ti	1503 -0.2	O	1526 -0.2	F	1553 -0.2	L	1657 -0.2	M	1644 -0.2	Ti	1801 -0.1
	2112 0.1		2137 0.2		2154 0.1		2300 0.2		2245 0.2		
7	0312 -0.1	22	0344 -0.2	7	0400 -0.2	22	0510 -0.2	7	0500 -0.2	22	0001 0.2
	0927 0.2		1003 0.2		1019 0.2		1131 0.2		1118 0.2		0617 -0.2
O	1547 -0.2	To	1623 -0.2	L	1631 -0.2	S	1744 -0.2	Ti	1721 -0.2	O	1234 0.1
	2152 0.1		2231 0.2		2230 0.2		2345 0.2		2324 0.2		1833 -0.1
8	0353 -0.2	23	0438 -0.2	8	0439 -0.2	23	0557 -0.2	8	0540 -0.2	23	0033 0.1
	1008 0.2		1057 0.2		1057 0.2		1217 0.2		1156 0.2		0650 -0.2
To	1626 -0.2	F	1715 -0.2	S	1705 -0.2	M	1826 -0.1	O	1757 -0.2	To	1303 0.1
	2227 0.1		2321 0.2		2303 0.2			A		C	1856 -0.1
9	0428 -0.2	24	0527 -0.2	9	0515 -0.2	24	0024 0.1	9	0002 0.2	24	0057 0.1
	1045 0.2		1147 0.2		1133 0.2		0637 -0.2		0621 -0.2		0715 -0.1
F	1659 -0.2	L	1803 -0.2	M	1737 -0.1	Ti	1257 0.2	To	1234 0.2	F	1323 0.1
	2257 0.1				2336 0.2	C	1900 -0.1		1834 -0.2		1912 -0.1
10	0500 -0.2	25	0006 0.2	10	0551 -0.2	25	0057 0.1	10	0043 0.2	25	0117 0.1
	1117 0.2		0613 -0.2		1208 0.2		0712 -0.1		0703 -0.2		0738 -0.1
L	1727 -0.1	S	1233 0.2	Ti	1810 -0.1	O	1330 0.1	F	1315 0.2	L	1341 0.1
	2324 0.1		1846 -0.2	A			1927 -0.1		1917 -0.2		1930 -0.1
11	0530 -0.2	26	0045 0.1	11	0012 0.2	26	0123 0.1	11	0130 0.2	26	0143 0.1
	1148 0.2		0654 -0.2		0630 -0.2		0741 -0.1		0752 -0.2		0806 -0.1
S	1755 -0.1	M	1315 0.2	O	1245 0.2	To	1356 0.1	L	1403 0.1	S	1406 0.1
A	2352 0.1	C	1923 -0.1		1848 -0.1		1948 -0.1		2006 -0.1		2002 -0.1
12	0603 -0.2	27	0118 0.1	12	0053 0.2	27	0147 0.1	12	0224 0.2	27	0222 0.1
	1221 0.2		0730 -0.1		0714 -0.2		0809 -0.1		0849 -0.2		0845 -0.1
M	1827 -0.1	Ti	1351 0.1	To	1330 0.2	F	1421 0.1	S	1500 0.1	M	1446 0.1
			1955 -0.1		1931 -0.1		2011 -0.1		2106 -0.1		2049 -0.1
13	0026 0.2	28	0149 0.1	13	0142 0.2	28	0218 0.1	13	0328 0.2	28	0315 0.1
	0641 -0.2		0805 -0.1		0805 -0.2		0845 -0.1		0956 -0.2		0938 -0.1
Ti	1300 0.2	O	1426 0.1	F	1421 0.2	L	1454 0.1	M	1608 0.1	Ti	1539 0.1
	1904 -0.1		2024 -0.1		2024 -0.1		2046 -0.1		2216 -0.1		2148 -0.1
14	0107 0.2	29	0220 0.1	14	0239 0.2	29	0302 0.1	14	0442 0.2	29	0418 0.1
	0727 -0.2		0842 -0.1		0906 -0.2		0931 -0.1		1111 -0.1		1039 -0.1
O	1346 0.2	To	1503 0.1	L	1522 0.1	S	1539 0.1	Ti	1723 0.1	O	1643 0.1
	1951 -0.1		2057 -0.1		2127 -0.1		2136 -0.1		2333 -0.1		2256 -0.1
15	0158 0.2	30	0259 0.1	15	0347 0.2	30	0359 0.1	15	0601 0.2	30	0526 0.2
	0821 -0.2		0927 -0.1		1016 -0.2		1028 -0.1		1228 -0.2		1147 -0.1
To	1441 0.2	F	1546 0.1	S	1633 0.1	M	1636 0.1	O	1839 0.1	To	1751 0.1
	2046 -0.1		2141 -0.1		2241 -0.1		2239 -0.1	B			
		31	0350 0.1			31	0504 0.1				
			1021 -0.1				1133 -0.1				
		L	1639 0.1				1739 0.1				
			2236 -0.1				2345 -0.1				

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højdemene er angivet i forhold til kortnul (Se "Forklaring til tabellene").

SLIPSHAVN

Dansk Normaltid (UT+1 time)

2010

Oktober				November				December									
Tid	m	Tid	m	Tid	m	Tid	m	Tid	m	Tid	m						
1	0006 0636 F 1253 D 1857	-0.2 -0.2 -0.1 0.1	16	0136 0802 L 1418 2024	-0.2 0.2 -0.2 0.2	1	0146 0809 M 1418 2027	-0.2 0.2 -0.2 0.2	16	0309 0930 Ti 1536 2142	-0.2 0.2 -0.2 0.2	1	0226 0844 O 1451 2103	-0.2 0.2 -0.2 0.2	16	0330 0944 To 1545 2154	-0.2 0.2 -0.1 0.2
2	0114 0739 L 1354 1958	-0.2 0.2 -0.2 0.2	17	0239 0903 S 1516 2121	-0.2 0.2 -0.2 0.2	2	0248 0908 Ti 1515 2123	-0.2 0.2 -0.2 0.2	17	0400 1018 O 1621 2227	-0.2 0.2 -0.2 0.2	2	0326 0941 To 1546 2159	-0.2 0.2 -0.2 0.2	17	0415 1025 F 1624 2235	-0.2 0.1 -0.1 0.2
3	0215 0839 S 1449 2054	-0.2 0.2 -0.2 0.2	18	0336 0958 M 1607 2211	-0.2 0.2 -0.2 0.2	3	0343 1000 O 1605 2214	-0.2 0.2 -0.2 0.2	18	0446 1100 To 1700 2306	-0.2 0.2 -0.1 0.2	3	0421 1033 F 1636 2251	-0.2 0.2 -0.2 0.2	18	0454 1059 L 1657 2309	-0.2 0.1 -0.1 0.2
4	0310 0931 M 1539 2143	-0.2 0.2 -0.2 0.2	19	0427 1047 Ti 1653 2256	-0.2 0.2 -0.2 0.2	4	0434 1048 To 1651 2302	-0.2 0.2 -0.2 0.2	19	0525 1135 F 1730 2339	-0.2 0.1 -0.1 0.2	4	0511 1120 L 1724 2339	-0.2 0.2 -0.2 0.2	19	0526 1125 S 1723 2337	-0.2 0.1 -0.1 0.2
5	0401 1019 Ti 1624 2230	-0.2 0.2 -0.2 0.2	20	0513 1130 O 1732 2335	-0.2 0.2 -0.1 0.2	5	0521 1133 F 1734 2346	-0.2 0.2 -0.2 0.2	20	0557 1200 L 1753	-0.2 0.1 -0.1	5	0558 1204 S 1807 A	-0.2 0.2 -0.2	20	0551 1145 M 1745	-0.1 0.1 -0.1
6	0448 1103 O 1706 2312	-0.2 0.2 -0.2 0.2	21	0553 1206 To 1803	-0.2 0.1 -0.1	6	0606 1214 L 1815 A	-0.2 0.2 -0.2	21	0003 0619 S 1216 C 1811	0.1 -0.1 0.1 -0.1	6	0024 0642 M 1245 1849	0.2 -0.2 0.1 -0.2	21	0002 0612 Ti 1206 C 1810	0.2 -0.1 0.1 -0.2
7	0531 1145 To 1745 A 2354	-0.2 0.2 -0.2 0.2	22	0006 0624 F 1233 1824	0.1 -0.2 0.1 -0.1	7	0030 0649 S 1254 1857	0.2 -0.2 0.1 -0.2	22	0024 0638 M 1232 1831	0.1 -0.1 0.1 -0.1	7	0109 0725 Ti 1325 1931	0.2 -0.1 0.1 -0.2	22	0029 0636 O 1231 1842	0.2 -0.1 0.1 -0.2
8	0613 1224 F 1824	-0.2 0.2 -0.2	23	0030 0648 L 1249 C 1839	0.1 -0.1 0.1 -0.1	8	0114 0733 M 1336 1941	0.2 -0.2 0.1 -0.1	23	0050 0701 Ti 1256 1903	0.1 -0.1 0.1 -0.1	8	0154 0809 O 1407 2018	0.2 -0.1 0.1 -0.1	23	0102 0708 To 1308 1924	0.2 -0.1 0.1 -0.2
9	0036 0656 L 1304 1905	0.2 -0.2 0.1 -0.2	24	0049 0707 S 1303 1857	0.1 -0.1 0.1 -0.1	9	0202 0821 Ti 1424 2031	0.2 -0.1 0.1 -0.1	24	0124 0734 O 1333 1945	0.2 -0.1 0.1 -0.2	9	0243 0857 To 1455 2112	0.1 -0.1 0.1 -0.1	24	0145 0751 F 1355 2015	0.2 -0.1 0.2 -0.2
10	0121 0742 S 1349 1952	0.2 -0.2 0.1 -0.1	25	0114 0731 M 1327 1928	0.1 -0.1 0.1 -0.1	10	0257 0917 O 1519 2132	0.2 -0.1 0.1 -0.1	25	0209 0819 To 1421 2039	0.2 -0.1 0.1 -0.2	10	0340 0953 F 1554 2215	0.1 -0.1 0.1 -0.1	25	0237 0843 L 1452 2116	0.2 -0.1 0.2 -0.2
11	0212 0835 M 1441 2048	0.2 -0.1 0.1 -0.1	26	0150 0806 Ti 1405 2013	0.1 -0.1 0.1 -0.1	11	0402 1021 To 1624 2242	0.1 -0.1 0.1 -0.1	26	0305 0915 F 1521 2143	0.2 -0.1 0.1 -0.2	11	0446 1057 L 1700 2325	0.1 -0.1 0.1 -0.1	26	0339 0946 S 1558 2226	0.2 -0.1 0.2 -0.2
12	0312 0936 Ti 1543 2153	0.2 -0.1 0.1 -0.1	27	0239 0854 O 1455 2110	0.1 -0.1 0.1 -0.2	12	0514 1133 F 1737 2357	0.1 -0.1 0.1 -0.1	27	0410 1021 L 1630 2254	0.2 -0.1 0.2 -0.2	12	0556 1205 S 1810	0.1 -0.1 0.1	27	0448 1057 M 1712 2340	0.2 -0.1 0.2 -0.2
13	0422 1048 O 1654 2308	0.2 -0.1 0.1 -0.1	28	0338 0954 To 1557 2216	0.2 -0.1 0.1 -0.2	13	0627 1243 L 1848 B	0.1 -0.1 0.1	28	0521 1132 S 1742 D	0.2 -0.1 0.2	13	0036 0703 M 1309 B 1916	-0.1 0.1 -0.1 0.1	28	0602 1211 Ti 1827 D	0.2 -0.2 0.2
14	0539 1203 To 1809 B	0.2 -0.1 0.1	29	0445 1101 F 1706 2328	0.2 -0.1 0.1 -0.2	14	0108 0736 S 1348 1952	-0.2 0.2 -0.1 0.1	29	0009 0633 M 1242 1854	-0.2 0.2 -0.2 0.2	14	0140 0803 Ti 1407 2015	-0.2 0.1 -0.1 0.2	29	0055 0714 O 1322 1939	-0.2 0.2 -0.2 0.2
15	0024 0654 F 1315 1920	-0.2 0.2 -0.1 0.1	30	0557 1210 L 1818 D	0.2 -0.1 0.2	15	0212 0836 M 1445 2050	-0.2 0.2 -0.1 0.2	30	0120 0742 Ti 1350 2002	-0.2 0.2 -0.2 0.2	15	0238 0857 O 1459 2108	-0.2 0.1 -0.1 0.2	30	0205 0821 To 1428 2045	-0.2 0.2 -0.2 0.2
			31	0039 0706 S 1317 1924	-0.2 0.2 -0.1 0.2										31	0308 0921 F 1527 2145	-0.2 0.2 -0.2 0.2

Tidspunkterne er givet i dansk normaltid (UT+1 time). Når sommertid gælder, skal de opgivne tidspunkter øges med 1 time. Højdemene er angivet i forhold til kortnul (Se "Forklaring til tabellene").